EAST 7/20/09

BUL 09/545,571

Time stamp

				ove	
L Number		Search Text	DB	Time stamp	
	3454		USPAT;	2004/02/06	12:58
		OR server\$1 OR router\$1)	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
_	1737	/transparentes WITH /gatoelel OP proved	IBM_TDB USPAT;	2004/02/06	12.00
_	1/3/	(transparent\$5 WITH (gate\$1way\$1 OR prox\$3 OR server\$1 OR router\$1)) AND		2004/02/06	13:00
		(370/\$6.ccls. OR 709/\$6.ccls.)	US-PGPUB; EPO; JPO;		
		(370770.CC13. OR 703770.CC13.)	DERWENT;		
			IBM TDB]	
_	1810	transparent\$5 SAME (gate\$1way\$1 OR prox\$3	USPAT;	2004/02/06	13.00
		OR server\$1 OR router\$1) SAME	US-PGPUB;	2001, 02, 00	13.00
		(connection\$1 OR session\$1 OR channel\$1)	EPO; JPO;		
			DERWENT;		
			IBM TDB		
-	999	(transparent\$5 SAME (gate\$1way\$1 OR prox\$3	USPĀT;	2004/02/06	13:00
		OR server\$1 OR router\$1) SAME	US-PGPUB;		
		(connection\$1 OR session\$1 OR channel\$1))	EPO; JPO;		
		AND (370/\$6.ccls. OR 709/\$6.ccls.)	DERWENT;		
			IBM_TDB		
-	927	(transparent\$5 WITH (gate\$1way\$1 OR prox\$3	USPAT;	2004/02/06	13:01
		OR server\$1 OR router\$1)) SAME	US-PGPUB;		
		(connection\$1 OR session\$1 OR channel\$1)	EPO; JPO;		
			DERWENT;		
	F 2.7	141	IBM_TDB		
-	537	((transparent\$5 WITH (gate\$1way\$1 OR	USPAT;	2004/02/06	13:01
		prox\$3 OR server\$1 OR router\$1)) SAME	US-PGPUB;		
		(connection\$1 OR session\$1 OR channel\$1))	EPO; JPO;		
		AND (370/\$6.ccls. OR 709/\$6.ccls.)	DERWENT;		
_	16	("5319712" "5592611" "5623601"	IBM_TDB USPAT	2004/02/06	10.20
İ	10	"5699513" "5757924" "5778174"	USFAI	2004/02/06	10:30
		"5781550" "5802320" "5826014"			
		"5828846" "5884025" "5898830"			
		"5915087" "6003084" "6006268"			
		"6104716").PN.			
-	2	6473406.URPN.	USPAT	2004/02/06	10:32
- !	7	("5218699" "5604896" "5623601"	USPAT	2004/02/06	
		"5699513" "5781550" "5826014"			
		"5987517").PN.			
-	7	6182141.URPN.	USPAT	2004/02/06	10:34
-	7	("5229988" "5303303" "5442633"	USPAT	2004/02/06	10:36
		"5548646" "5550984" "5623601"			
		"5657452").PN.	İ		
-			USPAT	2004/02/06	
-	2	6003084.pn.	USPAT;	2004/02/06	11:00
			US-PGPUB;		
			EPO; JPO; DERWENT;		
			IBM TDB		
_	2	EP-1011244-\$.did.	USPAT;	2004/02/06	11.01
	~	22 1011211 4.010.	US-PGPUB;	2004/02/00	11.01
ŀ			EPO; JPO;		
			DERWENT;		
			IBM TDB		
- 1	2	6389462.pn.	USPĀT;	2004/02/06	11.01
			US-PGPUB;	2001,02,00	11.01
			EPO; JPO;		
	-		DERWENT;	_	
i	į		IBM TDB		
-	13	("5774660" "5838916" "5864852"	USPAT	2004/02/06	11:02
		"5905872" "5941954" "5987523"			
1		"6065058" "6081829" "6081900"			
	ļ	"6098108" "6112212" "6138162"			
		"6189030").PN.			
-	8	6389462.URPN.	USPAT	2004/02/06	
-	22041	transparent\$5 WITH (gate\$1way\$1 OR prox\$3	USPAT;	2004/02/06	12:33
		OR server\$1 OR router\$1 OR fire\$1wall OR	US-PGPUB;		
		connection\$1 OR channel\$1 OR session\$1 OR	EPO; JPO;		
		tunnel\$1)	DERWENT;		
			IBM_TDB		ĺ

-	832	(transparent\$5 WITH (gate\$1way\$1 OR prox\$3 OR server\$1 OR router\$1 OR fire\$1wall OR	USPAT; US-PGPUB;	2004/02/06 11:11
		connection\$1 OR channel\$1 OR session\$1 OR tunnel\$1)) AND 709/201,203,227,228,230,238.ccls.	EPO; JPO; DERWENT; IBM TDB	
_	668		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/06 11:11
-	948		IBM_TDB USPAT; US-PGPUB;	2004/02/06 12:38
_	503	(transparent\$5 SAME (prox\$3 OR	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/02/06 13:34
		fire\$1wall\$1)) AND (370/\$6.ccls. OR 709/\$6.ccls.)	US-PGPUB; EPO; JPO; DERWENT;	
-	5383	(prox\$3 OR fire\$1wall\$1 OR (intermed\$5 ADJ1 server\$1)) SAME (cache\$1 OR table\$1 OR map\$3 OR list\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/06 12:40
-	1661	(prox\$3 OR fire\$1wall\$1 OR (intermed\$5 ADJ1 server\$1)) SAME (cache\$1 OR table\$1	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/02/06 12:40
		OR map\$3 OR list\$1) SAME address\$3	EPO; JPO; DERWENT; IBM TDB	
-	537	(prox\$3 OR fire\$1wall\$1 OR (intermed\$5 ADJ1 server\$1)) SAME (cache\$1 OR table\$1 OR map\$3 OR list\$1) SAME (address\$3 WITH (packet\$1 OR frame\$1 OR message\$1 OR cell\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/06 12:41
-	388	((prox\$3 OR fire\$1wall\$1 OR (intermed\$5 ADJ1 server\$1)) SAME (cache\$1 OR table\$1 OR map\$3 OR list\$1) SAME (address\$3 WITH (packet\$1 OR frame\$1 OR message\$1 OR cell\$1))) AND (370/\$6.ccls. OR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:41
-	26967	709/\$6.ccls.) (client\$1 OR host\$1) WITH configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/06 12:49
_	1282	((client\$1 OR host\$1) WITH configur\$5) SAME (prox\$4 OR fire\$1wall\$1 OR (intermed\$5 ADJ1 server\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/06 12:50
_	757	(((client\$1 OR host\$1) WITH configur\$5) SAME (prox\$4 OR fire\$1wall\$1 OR (intermed\$5 ADJ1 server\$1))) AND (370/\$6.ccls. OR 709/\$6.ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/06 12:50
-	1314	(transparen\$5 OR (pass\$3 ADJ1 through\$1) OR pass\$4through\$1) NEAR3 (gateway\$1 OR prox\$3 OR (intermediate ADJ1 server\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/06 13:12
-	715	((transparen\$5 OR (pass\$3 ADJ1 through\$1) OR pass\$4through\$1) NEAR3 (gateway\$1 OR prox\$3 OR (intermediate ADJ1 server\$1))) AND (370/\$6.ccls. OR 709/\$6.ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/06 13:13
_	10	(US-6473406-\$ or US-6330602-\$ or US-6298380-\$ or US-6182141-\$ or US-6173318-\$ or US-5781550-\$ or US-6598081-\$ or US-6003084-\$ or US-6389462-\$ or US-6567857-\$).did.	IBM_TDB USPAT	2004/02/06 13:15

-	1	(RFC OR (request ADJ1 for ADJ1 comment\$1)) ADJ2 "1919"	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/06 13:55
			IBM TDB	
-	2	6006268.pn.	USPAT;	2004/02/06 14:08
			US-PGPUB; EPO; JPO;	
1			DERWENT;	
İ			IBM_TDB	
-	6	("5319712" "5592611" "5778174" "5781550" "5802320" "5828846").PN.	USPAT	2004/02/06 14:08
	14	6006268.URPN.	USPAT	2004/02/06 14:09
_	12	(US-6182141-\$ or US-6173318-\$ or	USPAT	2004/07/19 07:23
		US-6006268-\$ or US-6003084-\$ or US-5781550-\$ or US-6567857-\$ or		
		US-6598081-\$ or US-6473406-\$ or		
		US-6389462-\$ or US-6330602-\$ or		
	1100	US-6298380-\$ or US-6687732-\$).did. 709/245.ccls.	HCDAM -	2004/07/10 10 02
-	1190	709/243.CCIS.	USPAT; US-PGPUB;	2004/07/19 10:23
			EPO; JPO;	
			DERWENT;	
_	405	709/245.ccls. AND (address\$3 NEAR3	IBM TDB USPAT;	2004/07/19 10:23
	•	(translat\$4 OR map\$4))	US-PGPUB;	2001,01,13 10123
			EPO; JPO;	
			DERWENT; IBM TDB	
-	√ 55	("5425028" "5485455" "5509121"	USPAT	2004/07/19 08:10
		"5511208" "5566170" "5720032" "5737333" "5774660" "5787470"		
		"5793763" "5872783" "5878213"		
		"5905726" "5910954" "5911084"		
		"5918019" "5951694" "5953338" "5964891" "5978381" "5983265"		
		"5987516" "5991297" "5991306"		
		"5991806" "5991817" "5991854"		
		"6006264" "6006272" "6018619" "6021462" "6023724" "6023727"		
		"6029203" "6041357" "6061714"		
		"6070187" "6076108" "6085220"		
		"6098093" "6098172" "6101549" "6119167" "6173364" "6175864"		
		"6182146" "6233245" "6240461"		
		"6253234" "6263368" "6295557" "6311316" "6353614" "6370594"		
		"6311216" "6353614" "6370584" "6381676").PN.		
-	/ 0	6745243.URPN.	USPAT	2004/07/19 09:21
-	17	("5410543" "5412654" "5596723"	USPAT	2004/07/19 09:35
		"5598536" "5692124" "5708654" "5757924" "5790548" "5835725"		
		"5852721" "5854901" "6061739"		
		"6070187" "6130892" "6167513"		
_		"6189042" "6324580").PN. 6591306.URPN.	USPAT	2004/07/19 09:38
_	20	("5434974" "5550981" "5636216"	USPAT	2004/07/19 09:43
		"5724510" "5729689" "5751961"		
		"5751971" "5754547" "5777989" "5790548" "5793763" "5802285"		
		"5805820" "5812819" "5835725"		
		"5838718" "6014660" "6205489"		
_		"6324582" "6421732").PN. 6480508.URPN.	IIG D A T	2004/07/10 00:47
_	/ 8	6345303.URPN.	USPAT USPAT	2004/07/19 09:47 2004/07/19 10:09
-	175	709/245.ccls. AND (proxy\$3 WITH (address\$3	USPAT;	2004/07/19 11:58
		OR server\$1 OR network\$3))	US-PGPUB; EPO; JPO;	
			DERWENT;	
1			IBM TDB	

	•	•		
-	1 1 22	709/245.ccls. AND ((syn OR sync OR synchroniz\$6 OR set\$1up\$1) NEAR2 packet\$1)	USPAT; US-PGPUB;	2004/07/19 10:22
_	4561	709/227,228,229.ccls.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/19 10:23
_	1739	709/227,228,229.ccls. AND ((address\$3 NEAR3 (translat\$4 OR map\$4)) OR NAT\$3)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/19 10:26
_	572	709/227,228,229.ccls. AND ((address\$3 NEAR3 (translat\$4 OR map\$4)) OR NAT)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/19 10:27
-	√ 80	709/245.ccls. AND ((proxy\$3 OR network\$3) NEAR3 cach\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/19 12:05
_	284	709/227,228,229.ccls. AND ((proxy\$3 OR network\$3) NEAR3 cach\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/19 12:05
-	641	router\$1 SAME ((prox\$3 ADJ2 server\$1) OR (network\$1 ADJ1 prox\$3))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/19 13:29
- 7	388	(router\$1 SAME ((prox\$3 ADJ2 server\$1) OR (network\$1 ADJ1 prox\$3))) AND (370/\$6.ccls. OR 709/\$6.ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/19 13:43
-	4199	(TCP ADJ2 (SYN OR SYNC OR synchroniz\$5)) OR (port ADJ1 "80")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 13:43
- 0	268	((TCP ADJ2 (SYN OR SYNC OR synchroniz\$5)) OR (port ADJ1 "80")) SAME rout\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/19 14:14
-	71	((TCP ADJ2 (SYN OR SYNC OR synchroniz\$5)) OR (port ADJ1 "80")) SAME cach\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/19 14:15